



FROM
THE LIBRARY
OF
SIR WILLIAM OSLER, BART.
OXFORD

7666 w

News from

1713 Spring Garden

These were W.O. notes on his
70 cases of Malan's Shaded
in 1866 - 1867 leading to
paper in the B.M.S.

etc.

4 photostats sent to Phila. for Ode. Memorial
at Blockley, 23.40, viz: from "v", pp. 8
& from this "w", fol. 15 r & v, 216
also to W. G. MacGillivray one of his father's
poems, fol. 28. to W. F.

L 1. John. Carlton W. 8.. 2.

From Isithamus. 5 weeks at place - left there
 2 weeks ago. At sea 6 - 7. week
 at Isithamus. no chills. while at Isithamus.
 chills. at sea 10 or 12 days.
 In chills now.

3 slides. . flagellate form. one.

one crescent.

several. intracellular forms.

Crescent

25



20/107

Case L 11 ²⁵⁻ Hanley W. C. B. B.

ch & f - for six days.

None in blood ... B. taken in shell
2.

21. None in blood. not in shell.
1

22/11/86. Sullivan.

none found.

He was admitted Oct. 8. Mal for 2 months
Had 2. L. d. Had 3 certain paroxysms
18th 20th & 22nd. again on 5th 7th & 8th Nov.
Crescent all time: none and none.



20/10/86

L 111

Andrew McFellens W. 2.

On Saturday. 1st chill. Again in Eve.

3 on Sunday. 2 on Mon. 2 on Tues

Has had chills before in month.

Has taken no medicine. Spleen.

B. not in chill.

No pigment. none in corpuscle.

Rob. Wilson



25/10/86

L1v.

Dufkenson.

H. in shell.

Intracellular forms. many. several.
small round ones free. ☺

21. after shell is fewer. intracellular
forms



Case

21st.

Williams W. G.

6 days. B L. Catlen after. Yesterday
the last one

None found.

Fig. 1



12 40



3.52








21.4.

Case,
whiteness.

negative

Sept 10/22/88

10/22/88



1244 1/2 size
large filamentous mass with 3 cells
broken

25th.

Case

Ward 5. B 3.

Woman.

next time small pieces.

11/11/11

55

Ward . . B 27. W. 6. . chill thro' am

9. In fever now.

chill a month ago. chill w/ other day
 & part. now. every day. Last week none at
 all. Saturday one. one yesterday & one this am
 Is anemic spleen enlarged

Bodies in red. not the pigmented ones but those
 in spaces.



Pigmented one. in more shell.

6th. In fever
 Many red & white bodies in blood

29th. Still present

John Dempsey. W 2. 25'

Exam one before - negative . . blood plaques
abundant -

Blood plaques very abundant . red normal
save many small . no plasmodia .
white abundant

244

James Hughes. Susan Sept.

First chills 10 days. - chills out. - 3 days
f. began. & has been. continued. no positive
sign. sweating a little. - Sp. D. measured.

Examination negative

LVI

25

M. a. Burke W. 3. 7.

Had. chills in a.p. for 2 months - sometimes
daily sometimes every day.

numerous



LVII

284

Happel. W. G. B.

many, intracellular.

one, flagellate form (or 5



L VIII

Henry Fisher W. 7. 63 11. Chills six weeks

ago. then stopped. now daily chill for a week

Blood taken during paroxysm. (hot stage)

Is not anemic. No enl. of spleen

large nucleated red blood corpuscles.
colored stroma very distinct

Central pigment. 15-20 round bodies ending
in pale sheath.

a second view. a 3rd

The bodies surround the pigment very closely
in this one

five or six of these bodies seen. no pigment
over. one hyaline in red.

a second slide was negative

It has been taken 2. steadily. none in
blood of my sent.



[=LIX]

11/1/86 [=1 Nov. 1886]

Case LVXXX

W. 7. Bed. T has cleared

all 3 weeks. In a year ago. A month ago
no chills but ~~very~~ fever. many cold days

many crescents. They alter distinctly in outline

11/4/ many still same other

11/7/ Yesterday. T. went ^{has some up} ~~up~~ about shaded
was 103° at 7. each day
crescents still very abundant

11/8 aight fever towards eve.

many crescents. no other forms

11/11/ Fevering eve + 102. 103°. Says he does not
feel painful. Crescents still no other forms

11/19. T has been warm. nearly to normal Has been
taking thallin and arsenic in v.l.c.d
crescents still present

19/11

A well marked example of the flagellate form
very active - half the size of a red corpuscle. Moves the
neighboring red cells to move. itself not moved much
but it wiggles distinctly in outline. The movements
of the flagella are so active that it is scarcely
possible to see them very flexible. It moved for
about 15" and then stopped.

many. crescents as well

22 red. many crescents -

Dec. 9. Still crescent not nearly so numerous. Has
had no chills

OSler MS. 7666, w:
Malaria notes at Blockley.
Verso of leaf 15.
Continuation, 19 Nov.-9 Dec.,
1886, of Case "LVIX" (LIX,
59), describing flagella,
sketched in pencil now
scarcely visible.
OSler Library, 1940

[LX]

Quarantine.

5/15.

[Nov. 1886]

L ~~to~~ X

Ward 7.

has ward. Last attack 3 weeks back & ever
since. not regular about 20 in all. Has had m. m.
it to appear last July.

Friday.

Many bodies in red corpuscles.

~~Monday~~ Sunday 7th. Fever yesterday (Saturday)

still all in red corpuscles not abundant.
no other forms.

8th. no fever today. Feels as if he would have
no tomorrow. Some seen. careful search

9th. In fever at 2.30 began at 11. not a heavy
chill. Copious urticaria.

Many. extracellular forms

Two together. many of these. - free not
in cells.

- one segmenting

3.20. no essential change

3.00

3.15

Had a chill at 4.40.

10th. No per bodies. ~~no~~ all intracellular
from. tot. m. m. m. no segmentation
No fever body

" / " / Better to day. Says he will have another time
no fever.



Small clear vesicles - 2 per cell. no of 10

absolutely none except the circular forms with
irregularly distributed pigment.



11/12/86. . at 12 T. only 99. Says he feels little as
tho a chill would come on

Slide at 8 am



distinct inclusion body in one cell

Good many in field

mostly pigmented colonies in field

Slide at 12. Pigment is central in many. In others still dis-
tributed.



12.45

2.10. No segmentation

2.30 Many in division. only one in
this one. segmented.

3.30 Very few all in segmentation

10th. No per bodies. no tails all intracellular
from. tot. m. m. m. no segmentation
No fever body

" / " / Better today. Says he will have another time
no fever.



Small clear vesicles - 2 per cell - 100% of 10

absolutely none except the circular forms with
irregularly distributed pigment.



11/12/86. . at 12 T. only 99. Says he feels little as
tho a chill would come on

Slide at 8 am



distinct vesicles but they are few

Good many in field

mostly peripherally colored cells

Slide at 12. Pigment is central in many. In others still dis-
tributed.



12.45

2.10 No segmentation

2.30 Many in division. only one in
this one. segmented.

3.30 Very few all in segmentation

LX1 John Davis W 1 22

11/7/82

In about 5 weeks outwards for 2 weeks.
Lemon. Has had M. since July in March
m & fever in a. Is very pale & thin.
chill then are very bad. as in fever in
Crescents most abundant no other form

11/8/ Blood just in chill T. 98.

Crescents only.

5 a crescent with the pigment very
much towards the one end.

Blood in fever.

round form

a crescent with
the pigment very
much towards the one end

many crescents.

13th. No chill for 4 days. 2. 2080 in day

very pale. Still many crescents - very abundant

18th Still abundant. only crescents

colorless capsule. The clear body ^{internal} wall
at first was ~~entirely~~ curved. I thought
to be an inguired crescent probably not.

22. Still crescent in numbers. In taking Linnæ

9/12/86. No 2. for nearly two weeks. I had a chill
on Monday 6th. Chill last night at 4.30 am.
3/4 hour in chill: hot & then revealed.

Blood contains very few crescents. No acute intra-
cellular bodies.


L. Scheiner . Small. and. 3. 15 4

chill on 1st day of admission . irregular
chills & fever since . Had been drinking, looks
as if he had .

none found in one slide

11/11/ none in one slide .

Septic pneumonia



Case LXII . Ward. 3. 6. 16.

11/12/86

Dr Murren.




Change in size at a.

looks as if a narrow rim. was adher. at (b) this was
slightly gone. & a prism. at

15 ft . only two seen -

15" - none seen in one shell

note Case LXI & LXII both substantially same & with
red upper surface probably an effect of the red
in which the section was



Case L. 17 continued

Chas Ward.

13th. Day after chills. . very few in two slides

all intracellular in few  with very few of them about them

 small in one or two

15th In chills paroxysm. # 98.

very few bodies in oo none representative
subsequently T. 10. bodies reg.

18th In paroxysm T 104.55

22nd. Has had Fever. Pneumonia since. 18th

Still bodies in cells.

Dec 9. Since 18 has had 2. no bodies



11/12/86


Case LXIII

arrived Note W 3 b 15.

All 10 weeks.

Crescents. very few. . Pigment in col. oo

15th. Negative



Ward 3 b. 9

11/15/86

negative

184-

Case L X 1M. Max Kluger. W. 9.

From South Carolina, six weeks. one week
after the earthquake.

colorless capsule which at 2.30 moved more than
its own length and gradually took in one of the
free segmented bodies. In a short time the little capsule
was also included.

Intracellular forms abundant.

22 and nine seen. He had one day of Dr. 208
after admission none seen.

W 7. 18/11/.

Case L X N^o . John. Reagon

chill a week ago Monday. 8th & one every
other day since. Working in Delaware. Off at
allack.

Intracellular bodies abundant.

19th


T. 105°. Blood. contained many.

4 hours after not nearly so many

22nd chill yesterday. Intracellular abundant



27th very few not in chill. Has few in
shells.



Case LXVI

Thomas Fleming. All for 6 mos. chills
and fever.

on 2 off - 2 and 2 - spleen enlarging
chills late every other day.

26th. a few intercell. : Off day.

27th. Mild chills today. none found. T 101.

Dec 9. 11. a few intercell. for. Has had no

2. Had a chill today with

LXVII

Michael Maling. Ward 7. B 9

Dec 9

Dec. 9. He had a chill today - at 10.30 - fever 103. sweated

very many crescents - 3 or 4 in a field.

Oct 10.

Howard Kellan . 4 Birch Place.

chill in Sept. at West. Hudson - about August.

Had about 15 chills. Last one 23rd Sept. Has
fallen back - not true.

Is anemic.
Hem. nucleated red corp.

2 many? small solid bodies in variable.

no regular fever pattern. no anorexia.

Dec 9 16

LXVIII

John Mc Neal W 6. B.

Melanin since Sept -

One every day since Sunday. One today

Many in red capsules. Many per small
fours.

22 20 many yellow cells and a few larger ones like
white - several of them



LXIX.

note in other book.


Tarkenton.

Indemnity.

LX. Dr. Murren. case.

John Deane





22 Oct 1903

Goose for Mr. Cullum of Dunstable.



11. 13



a clear space with two small pos. bodies just
to the right of the nucleus.



with 2 reproductive bodies in a vacuole



5/11/87

Care XI.

Pat of Dr Wilson. Ch. malania.

chills. anacardi.

Many ulcers. bodies. a few full ones.

65

Case 1/X. From Stanton W. P.
in for letter. Child - appeared 20/5/12. Name what
3 weeks ago. Child on 32th Aug. then
sawing at 12.20.

Very poor carbon attack. Good many fish small and some
a few in very pale form. Also had some

2/12 3, 2, 4/12

Does not see the head & thought

combining

Case X.

Miss. - from Dr. Stewart.

May 4. Apr

Case VIII W. McK. W 3

1st chill 4 weeks ago in Bellona

Friday + mndy of last week.

Chill for 3 days now. Very many bodies

almost all intracellular

Sunday May 1st. Had a chill at 8. severe. Seen at
4.30. No fever.

Blood contained very few. intracellular fragmented forms.
a good many corpuscles had the hyaline bodies previous
forms. The form at 6.15. appeared at 10 PM. I have

passed out as no rings within
a 2 small bodies - solid looking
were intride. Several ovoid solid
bodies seen - free - at 10.



2. V 8 PM at 11 2 other alone

2nd 2.5 PM this on

3rd at 4 negative

4th - still negative.

Case VI. . .

Univ. Hospital

Case VII . W. 3 . man . chills pr -

Many intracellular.

~~Case VIII~~

malanacure,
Second Series 1887.

Care I. Last aged. 18. Quotidian + Tert. Ca.
5-4 weeks.

Intracellular forms very numerous.
Rapid desapt with Qu.

Dr. Brnen


Care II. J. S. 30. From Panama. Anemia.
Spleen enlarged. Still occ. chill. Had
what call shagren fever.
Many intracell. & free. no crescents.

Care III. S. +. at 38. From Panama. (Dr. Brnen)
Shagren fever. Slight int. spleen. Anemia.
Many intracellular forms.
Desapt under Quinine.


Care IV. W. 6. Man. Terhan. 3 weeks.
abundant intracellular.
Qu. desapt.

18/4/87

Care V. W. 9. John Lewis. Man 84-85. ~~18/4/87~~
been nearly a year in Hospital. 3 weeks ago
1st chill in river, at first tert. now daily. Chill
for 3 days. Chill at 4 am. Blood at 2.50 PM. negative
Subsequently found. and L. desapt



Sub-cutaneous fibroid nodule in acute chronic
Rheumatism. Case 7 - W. H. 12/15/86



384

Osler MS. 7666,w: Malaria notes at Blockley,
"Goose fr. Dr MacCallum", 22 Aug., [1886]
Leaf 28 verso. Osler Library, 1940.

7666. w, leaf 15 (front)

Will also do for leaf 16 (front).

Take also back of leaf 15
with attached typing.

